

Sub B
Cont
AL


15. (New) The perpendicular magnetic recording disk of claim 2, further comprising a protective layer and a lubricant layer sequentially on the perpendicular magnetic recording layer.

REMARKS

A change has been made to the specification by the above amendments. Claims 3-5 and 11 have been amended and claims 12-15 have been added to remove multiple dependency. Favorable action on the merits is respectfully requested.

Respectfully submitted,

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

By: 
Charles F. Wieland III
Registration No. 33,096

P.O. Box 1404
Alexandria, Virginia 22313-1404
(703) 836-6620

Date: December 31, 2001

10069951-133101
FOOTEST 79662001

Attachment to Preliminary Amendment

Marked-up copy of Claims 3-5 and 11

3. (Amended) The perpendicular magnetic recording layer of claim 1 [or 2], wherein, in the range of thickness of the perpendicular magnetic recording layer, the rate of variation of the ratio of perpendicular remanent magnetization of maximum perpendicular remanent magnetization is greater than of the ratio of perpendicular coercivity H_c to maximum perpendicular coercivity H_o .

4. (Amended) The perpendicular magnetic recording layer of claim 1 [or 2], wherein, in the range of thickness of the perpendicular magnetic recording layer, a noise level constant of proportionality α expressed as the following formula decreases with reduced thickness of the perpendicular magnetic recording layer:

$$\alpha = \frac{4\pi Mr}{H_c}$$

where Mr is the perpendicular remanent magnetization and H_c is the perpendicular coercivity.

5. (Amended) The perpendicular magnetic recording disk of claim 1 [or 2], wherein the perpendicular magnetic recording layer is formed of a CoCr alloy.

11. (Amended) The perpendicular magnetic recording disk of claim 1 [or 2],
further comprising a protective layer and a lubricant layer sequentially on the perpendicular
magnetic recording layer.

10029961-123101